



AST-11TV4P
USER MANUAL

INTRODUCTION

Thank you for purchasing a AWAVE spare wheel passive sub woofer for your car sound system. This passive sub woofer system utilizes the existing spare wheel Well without taking up the space too much in your vehicle and it can be simply and invisibly installed via the provided plug and play harness.

If you decide to install the subwoofer by yourself, please thoroughly read through this manual before getting started. This manual will help familiarize yourself with this subwoofer and guide you through the installation process and procedures.

Contents

1. Spare tire passive subwoofer	1pc
2. Ower's Manual (Chinese)	1pc
3. Ower's Manual (English)	1pc
4. Screw with nut	1pc
5. Power input terminal	1pc
6. Mounting Bracket	1pc

SPECIFICATIONS

MODEL:	AST-11TV4P
RMS power	250W
Minimum resonant speaker frequency	27Hz
Nominal Impedance	2Ω
Sensitivity@1w/1m	85dB
Frequency Range	27Hz-300Hz
Magnet	63 Oz
Voice Coil	2.5"
Cone	Rubber Edge FIBER GLASS CONE
Woofer diameter	11inch

All specifications subject to change without notice

Features

Sealed cast aluminum enclosure.Plug and Play connection system, easy to hook up. Easy installation and removal.

INSTALLATION GUIDE

NOTE: This subwoofer maybe installed only in the spare wheel well,and it is designed to fit inside an above 15-inches rim spare tire!

Fig.1:



- A. First thing make sure this subwoofer can fit into your spare tire well.
- B. Clean the trunk of the vehicle.
- C. Remove the trunk flooring and foam pad to get the spare tire.
(Two examples of installation methods)

Fig.2:



Using fix bolt(supplied)

- A:Thoroughly clean the spare tire.
- B:Move the original bolt of fixing the spare tire.


Fig.3:



Using fix bolt and ABS Nut(supplied)

- A:Thoroughly clean the spare tire.
- B:Replace the original spare fixing nut with supplied one.


Fig.4:



Fix Spare tire passive subwoofer

- A:Insert the amplifier input terminal.(supplied)
- B:Fix the subwoofer with supplied bolt.

PRODUCT DIMENSIONS



awave

Oaktree
www.gzoaktree.cn

Guangzhou Oaktree Trading Co. Ltd

Tel: 020-37684200

WeChat Account: gzoaktree2013

Website: www.awave.com.cn www.gzoaktree.cn

Address: 1/F XINHUA AUTOMOTIVE SUPPLIES HITEC MAIN SHOP D213 GUANGZHOU CHINA